

Delivering Our Late-Stage Programs that have the Potential to Transform Lives and Generate Significant Value






Maximizing Potential of Marketed Portfolio Through LCM Expansions







Glossary of Abbreviations



Regional Abbreviations:

CN: China; EU: Europe; JP: Japan; U.S.: United States of America

1L	first line	GZMB	granzyme B
2L	second line	нсс	hepatocellular carcinoma
3L	third line	НСР	healthcare professional
AA	anemia-associated	HemA	hemophilia A
AATD	α1-antitrypsin deficiency	HER2	human epidermal growth factor receptor 2
ADC	antibody–drug conjugate	HL	Hodgkin lymphoma
AE	adverse event	HS	hidradenitis suppurativa
Al	artifcial inetlligence	IBD	inflammatory bowel disease
AML	acute myeloid leukemia	ΙΕΝ-α/β/γ	interferon alpha/beta/gamma
ASN	American Society of Nephrology	IgA	immunoglobulin A
AVA	Advanced Vial Access	IgAN	immunoglobulin A nephropathy
B7-H3	B7 Homolog 3	IgG	immunoglobulin G
BID	bis in die, twice a day	lgG1 Fc	crystallizable fragment of IgG
BTD	breakthrough therapy designation	IH	idiopathic hypersomnia
CD	cluster of differentiation	IL-2/12/17/23	interleukin 2/12/17/23
CI	confidence interval	IND	investigational new drug
CIDP	chronic inflammatory demyelinating polyradiculoneuropathy	10	immuno-oncology
CLDN18.2	claudin 18.2	iTTP	immune thrombotic thrombocytopenic purpura
CML	chronic myeloid leukemia	IV	Intravenous
CMV	cytomegalovirus	JPY	Japanese Yen
cORR	confirmed objective response rate	KRAS	Kirsten rat sarcoma viral gene
CP-CML	chronic-phase chronic myeloid leukemia	LCM	lifecycle management
CPI	Checkpoint inhibitor	LS	least square
CRC	colorectal cancer	LTE	long-term extension
cTTP	congenital thrombotic thrombocytopenic purpura	MCS	Mental Component Summary
CY	calendar year	MDS	myelodysplastic syndrome
DAR4	Drug to Antibody Ratio 4:1	MF	myelofibrosis
DOAC	direct oral anti-coagulation	MMN	multifocal motor neuropathy
EDS	excessive daytime sleepiness	MOA	mechanism of action
EGFR	epidermal growth factor receptor	mOS	median overall survival
eGFR	estimated glomerular filtration rate	MSS CRC	microsatellite-stable colorectal cancer
EMA	European Medicines Agency	MWT	maintenance of wakefulness test
EQ-5D-5L	EuroQol-5 Dimensions 5-levels	NDA	new drug application
ESS	Epworth Sleepiness Scale	NME	new molecular entity
FDA	U.S. Food & Drug Administration	NMPA	(China's) National Medical Products Administration
FL	front line	NSCLC	non-small cell lung cancer
FSI	first subject in	nsqNSCLC	non-squamous non-small cell lung cancer
FY	fiscal year	NSS-CT	Narcolepsy Severity Scale for Clinical Trials
Gd-IgA	galactose-deficient IgA	NT1 or 2	narcolepsy type 1 or 2

PD-1	programmed cell death protein 1
PDAC	pancreatic ductal adenocarcinoma
PGI-C	Patient Clinical Global Impression of Change
Ph1, Ph2, Ph3	phase 1, 2, 3
PID	primary immunodeficiency
PK	pharmacokinetics
PMDA	Japan's Pharmaceuticals and Medical Devices Agency
POC	proof of concept
PRIME	Priority medicines scheme by EMA
PROC	platinum-resistant ovarian cancer
PsA	psoriatic arthritis
PsO	psoriasis
PSOC	platinum-sensitive ovarian cancer
PVT	Psychomotor Vigilance Task
QOL	quality of life
R&D	Research and Development
SAE	serious adverse event
SC	subcutaneous formulation
SCCHN	squamous cell carcinoma of head and neck
SCLC	small-cell lung cancer
SID	secondary immunodeficiency
SF-36	Short Form-36 Survey
SOC	standard of care
sqNSCLC	squamous non-small cell lung cancer
TEAE	treatment emergent adverse event
TIL	tumor-infiltrating lymphocyte
TNFα	tumor necosis factor alpha
TOPO1	Topoisomerase I (one)
TST	tumor-specific T cell
TYK2	tyrosine kinase 2
UC	ulcerative colitis
UPCR	urine protein-creatinine ratio
USD	US dollar
VEGF	vascular endothelial growth factor
vWD	von Willebrand disease
WCR	weekly cataplexy rate
wk(s)	week(s)
ww	worldwide